

	Hits	Search Text	DBs
1	1	("20020143521").PN.	US-PGPUB; USPAT
2	1	("6988093").PN.	US-PGPUB; USPAT
3	2017	break\$4 with (document\$1 or file\$1 or object\$1 or item\$1) with point\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1689	21 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	9	22 and xml and nodes and database\$1 and (id\$1 or identifier\$1 or identification\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	23 and (ims or (information adj management adj system\$1)) and (hierarch\$4 or tree\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	23 and (ims or (information adj management adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	3	23 and (hierarch\$4 or tree\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	6	23 not 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	50	break\$4 with (document\$1 or file\$1 or object\$1 or item\$1) with point\$1 WITH SIZE\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	42	28 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	29 and xml and nodes and database\$1 and (id\$1 or identifier\$1 or identification\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	29 and nodes and (database\$1 WITH (id\$1 or identifier\$1 or identification\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	1	29 and nodes and database\$1 AND (id\$1 or identifier\$1 or identification\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB